

**REQUEST FOR EXPRESSION OF INTEREST FOR THE PROVISION OF VALVES(BALL VALVES AND GATE VALVES)
FOR AGI PIPING**

REFERENCE NO.: CPP-PROC-TZ-006-0206-06

China Petroleum Pipeline Engineering Co., Ltd. (hereinafter abbreviated as CPP) as Pipeline, Feederline & Above Ground Installation Contractor for the East African Crude Oil Pipeline (EACOP) Project invites experienced and reputable Contractors to express their interest in supplying kinds of equipment/materials for EACOP Project.

The EACOP Project involves the development, construction, operation and maintenance of a crude oil export pipeline that originates in Kabaale, Uganda and delivers oil for marine export on the East African coast in the Tanga area in Tanzania.

BRIEF DESCRIPTION OF THE SCOPE:

♦ **Supply of VALVES(BALL VALVES AND GATE VALVES) for AGI PIPING.**

MINIMUM REQUIREMENTS:

Companies expressing their interest are invited to document their request with:

- 1. Proof of License/Registration Information and Profile of Supplier, including license and TIN certificate.**

- 2. Proof of registration/application to Local Supplier Service Provider (LSSP) database at the time of submission of the response to this expression of interest is strongly recommended.**
- 3. Fully filled Questionnaire, Key personnel list with CV(Appendix1)and Equipment list of production and inspection(Appendix2) in requested format. (Blank regards as unqualified item.)**
- 4. Similar supplying experience within last three years(Appendix3) in requested format.**
- 5. Compliance with Petroleum (Local Content) Regulations, 2017 and Local company definition for Tanzania.**
- 6. Copy of certificates of ISO 9001, ISO 45001, ISO 14001 or equivalent of them.**
- 7. Tax Clearance Certificate for the last three years and Audit report for the last three years.**
- 8. The supplier must be manufacturer, Manufacturer's Commitment Letter shall be provided.**
- 9. Technical requirements shall meet NO.06-VALVES(BALL VALVES AND GATE VALVES) FOR AGI PIPING.**

Interested companies which meet the minimum requirements and have the capacity to provide the WORK (GOODS/SERVICES) listed above should express their interest by sending together with the above listed documents an email to supplierdata1@cpptz.com (Max. Email Size: 20 MBs, Wetransfer link is available for huge size documents. & All documents must be submitted in the English language) on or before **24:00** hours East African Time (EAT), on **DATE(6/2/2023)**. Subject of the email should be **"EOI for CPP-PROC-TZ-006-0206-06-COMPANY NAME"**. CPP reserves the right not to consider companies that submit an incorrect email subject and the incorrect format of Questionnaire, Appendix 1, 2 and 3.

The format of the required documents and relevant technical requirements (NO.06-VALVES(BALL VALVES AND GATE VALVES) FOR AGI PIPING) which are mentioned in Minimum Requirements should be downloaded from EACOP's website(<https://eacop.com/opportunities-by-main-construction-contractors/china-petroleum-pipeline-engineering-co-ltd/>). Companies satisfactorily meeting the above minimum requirements will receive, subject to the signature of a Non-Disclosure Agreement (NDA), a detailed pre-qualification questionnaire for further evaluation by Company.

CPP reserves the right not to consider companies that submit an incomplete dossier.

Note 1: Only pre-qualified companies will receive an invitation to submit their bid in furtherance of the Call for Tender process.

Questionnaire for the Pre-qualification of Procurement-AGI PPL

NOTE: Please provide documents named by serial number according to each item.

CPP reserves the right not to consider companies that submit Questionnaire filled by hand.

Item No.	Category / Question	
0	NC/LC REQUIREMENTS	
0.1	General Requirements	
0.1.1	Is the Applicant fully aware of the local climatic and working conditions of country and the local applicable laws to carry out the project? (Yes or No)	
0.1.2	Applicant to confirm that the full Scope of the Project can be performed. (Yes or No)	
0.2	National Content Requirements for Uganda (Applicable for Uganda)	
0.2.1	Proof of business registration and business license for Uganda.	
0.2.2	Proof of registration with the PAU National Supplier Database (NSD) for Uganda.	
0.2.3	Compliance with the Petroleum Midstream National Content Regulation # 34,2016 for Uganda.	
0.3	Local Content Requirements for Tanzania (Applicable for Tanzania)	
0.3.1	Proof of business registration and business license for Tanzania.	
0.3.2	Proof of registration/application to EWURA Local Supplier Service Provider (LSSP) database.	
0.3.3	Compliance with Petroleum (Local Content) Regulations, 2017 and Local content requirements for Tanzania.	
1	GENERAL INFORMATION	
1.1	Company Data	
1.1.1	Name of Applicant	
1.1.2	Introduction of Applicant (establishing time,Copies of government issued IDs for all shareholders,main business scope,etc.)	
1.1.3	Applicant address	
1.1.4	Applicant phone number	
1.1.5	Applicant email address	
1.1.6	Applicant Website	

Questionnaire for the Pre-qualification of Procurement-AGI PPL

NOTE: Please provide documents named by serial number according to each item.

CPP reserves the right not to consider companies that submit Questionnaire filled by hand.

Item No.	Category / Question	
1.1.7	* Manufacturer's Commitment Letter The supplier must be manufacturer.	
1.2	Authorized contact person and contact details	
1.2.1	Name of authorized contact person	
1.2.2	Contact person's business address - phone number	
1.2.3	Contact person's business address - mobile phone number	
1.2.4	Contact person's business address - email address	
1.3	Organization Chart	
1.3.1	Applicant is requested to attach its organization chart.	
1.4	Language	
1.4.1	English shall be used as the Project language for all documents and correspondence - applicant to confirm	
2	FINANCIAL ASPECTS	
2.1	Bank information	
2.1.1	Name of Applicant's principal bank	
2.1.2	Address of Applicant's principal bank - street and number	
2.1.3	Address of Applicant's principal bank - post code and city	
2.1.4	Address of Applicant's principal bank - country (and state)	
2.2	* Registration with the Tax Revenue Authority	
2.2.1	Registration with the Uganda Tax Revenue Authority, including TIN Certificate.(Applicable for Uganda)	
2.2.2	Registration with the Tanzania Tax Revenue Authority, including TIN Certificate.(Applicable for Tanzania)	
2.3	* Proof of Tax Clearance Certificate	
2.3.1	Proof of Uganda Tax Clearance Certificate for the latest 3 years available.(Applicable for Uganda)	

Questionnaire for the Pre-qualification of Procurement-AGI PPL

NOTE: Please provide documents named by serial number according to each item.

CPP reserves the right not to consider companies that submit Questionnaire filled by hand.

Item No.	Category / Question	
2.3.2	Proof of Tanzania Tax Clearance Certificate for the latest 3 years available. (Applicable for Tanzania)	
2.4	Audited financial statements	
2.4.1	Applicant 's financial performance documents, Audited Balance sheets and Profit and Loss statements, Auditors Report and Notes to Accounts etc. for last 3 (three) years. Latest financial statement should not be older than 18 months on the date of submission of response to this Expression of Interest.	
2.5	Line of credit	
2.5.1	The line of credit shall not be less than USD 5 million, and the bid bond and performance bond shall only be issued by internationally renowned banks. (Yes or No)	
3	LITIGATION HISTORY, RISK ASSESSMENT AND ELIGIBILITY	
3.1	Litigation or arbitration history	
3.1.1	Provide information on any history of litigation or arbitration resulting from orders executed in the last (5) years or currently under execution, especially with CPP. (Yes or No)	
3.2	Eligibility	
3.2.1	Does Applicant appear on World Bank's common List of Ineligible Entities available under the following link http://www.worldbank.org/debarr or is Applicant subject to any sanction from World Bank and from UN? This must be similarly affirmed if the Applicant is an Affiliate or otherwise directly or indirectly controlled by such an ineligible entity. (Yes or No)	
4	QA/QC, HSE, CERTIFICATES, KEY PERSONNEL	
4.1	Please provide Applicant's ISO 9001:2015 Certificate.	
4.2	Please provide Applicant's ISO 45001:2018 Certificate (or equivalent).	
4.3	Please provide Applicant's ISO 14001:2015 Certificate (or equivalent).	
4.4	Please provide QA/QC manuals.	

Questionnaire for the Pre-qualification of Procurement-AGI PPL

NOTE: Please provide documents named by serial number according to each item.

CPP reserves the right not to consider companies that submit Questionnaire filled by hand.

Item No.	Category / Question	
4.5	Any other technical Certificates (API, etc.).	
4.6	Please provide key personnel list, Format refer to Appendix 1.	
4.6.1	Please provide QA Manager's CV	
4.6.2	Please provide QC Inspector's CV	
4.6.3	Please provide Production Manager's CV	
5	FABRICATION AND DESIGN	
5.1	Range of products for oil and gas industry the applicant produces. (Yes or No)	
5.2	Please give details of your manufacturing and design/engineering facilities (size, area, number, etc.).	
5.3	Do you have in house design facilities? (Yes or No)	
5.4	Please provide details of the assembly yard/facilities you would use for the various parts of the project.	
5.5	Please provide the equipment list of production and inspection, Format refer to Appendix 2.	
5.6	*Technical requirements shall meet our relevant technical requirements documents attached. (Yes or No)	
6	PROJECT SPECIFIC OUTPUT, CAPACITY, ABILITY	
6.1	Please specify estimated average capacity per month for manufacturing and delivery of the product.	
6.2	What is the available capacity (i.e. not yet booked) of the Applicant for the product in Year 2023?	
6.3	According to your present workload what is the approximate time period (in weeks) for the first dispatch after purchase order award (on EXW basis)?	
7	EXPERIENCE RECORD AND REFERENCES	
7.1	Please provide similar experience within last three years, Format refer to Appendix 3.	
7.2	Please provide scanned CONTRACT for completed project or LETTER of AWARD for ongoing projects, completion certificate (if any), appreciation letters (if any) etc.	
7.3	Please confirm whether there have been any product quality incidents in the past 5 years. (Yes or No)	
8	RAW MATERIALS	

Questionnaire for the Pre-qualification of Procurement-AGI PPL

NOTE: Please provide documents named by serial number according to each item.

CPP reserves the right not to consider companies that submit Questionnaire filled by hand.

Item No.	Category / Question	
8.1	Please list the Sub-suppliers of raw materials (Company Name, Country).	
9	SPARE PARTS AND MAINTENANCE	
9.1	Supply list of recommend spare part for the product. (If applicable)	
10	DIVERSE DATA	
10.1	Please confirm that you will provide on-site Services such as provision of re-assembly, supervision of site acceptance, assistance during quality warranty period. (If applicable, Yes or No)	

APPENDIX 1 List of the Key Personnel

No.	Title	Name	Years of Experience	Qualification Certificates		Location	Notes
				Name of the Certificate	Certificate No.		

Notes: pls attach the CV & scanned copies of certificates etc.

APPENDIX 2 List of Main Equipment

No.	Name of Main Equipment	Brand & Model	Qty.	Status of Equipment	Self-owned (Y/N)	Location of Equipment	Date of Production	Notes

Notes: This format includes equipment of production and inspection, pls attach photos and self-owned certificate etc.

APPENDIX 3 List of Similar Supplying Experience in Oil and Gas Field

Client	Contact Information of Client (Email/Phone number)	Location	Years	Name of the Project	Scope of Supply	Status of the Project (Completed / Ongoing)	Bidder's Contract Value	Notes

- Notes:
1. Please attach following documents: scanned CONTRACT for completed project or LETTER of AWARD for ongoing projects, completion certificate (if any), appreciation letters (if any) etc.
 2. The information of the PROJECT mentioned above may be confirmed by CPP with the assistance of EACOP COMPANY.

SR.NO	P&ID NO.	REV.	LINE NO.	PIPE CLASS	VALVE CODE	VALVE TYPE	SIZE	DESCRIPTION	QTY	SUPPLY SCOPE	REMARKS
1	TZ-MID-65-WPR2-134003	0	PS2-25-24"-HL-0022-G06HE	G06	PVCC4G90RJ6A4HF	CHECK VALVE	24"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT, DBL FLG , API 594 , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 6mm CA , 2205 DUPLEX SS PIN, ALLOY X-750 SPRING ITCS A350-LF2 CL.1	1	WORLEY	
2	TZ-MID-65-WPR2-134003	0	PS2-25-24"-HL-0022-G06HE	G06	PVBST4K1RJ9145	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RTJ)B, BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3, S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A182-F51	1	WORLEY	FB
3	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0036-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
4	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0036-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
5	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0036-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
6	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0011-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
7	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0011-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
8	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0011-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
9	TZ-MID-65-WPR2-134005	0	PS2-25-VT-PA3100C-TUNDISH	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	HOLD_LINE SPEC AND NUMBER
10	TZ-MID-65-WPR2-134004	0	PS2-25-VT-PA3100B-TUNDISH	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	HOLD_LINE SPEC AND NUMBER
11	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0030-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	2	WORLEY	LINE SIZE ON HOLD

12	TZ-MID-65-WPR2-134000	0	PS2-25-2*-CD-0030-F03HE	F03	PVLC1B60RF8F1V7	GLOBE VALVE	2"	GLOBE VALVE , CL600 , RF , B16.5 , B16.10 DIMS , T-BODY , API623, OS&Y , BB , PLUG TYPE DISC , API TRIM 12 , FG PACKING , B7/2H , HWCS A105N	1	WORLEY	LINE SIZE ON HOLD
13	TZ-MID-65-WPR2-135401	0	PS2-28-VT-VDC1100-K2	B01	PVBC1B15RFRQ4IW	SBB VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , API 6D, MODULAR SB(RF)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	1	WORLEY	VESSEL TRIM LINE ON HOLD, FB
14	TZ-MID-65-WPR2-134003	0	PS2-25-VT-PA3100A-TUNDISH	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D, RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	HOLD_LINE SPEC AND NUMBER
15	TZ-MID-65-WPR2-134007	0	PS2-25-VT-VP1200-TUNDISH	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D, RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	HOLD_LINE SPEC AND NUMBER
16	TZ-MID-65-WPR2-134000	0	PS2-25-VT-VP1100-TUNDISH	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D, RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	HOLD_LINE SPEC AND NUMBER
17	TZ-MID-65-WPR2-134007	0	PS2-25-2*-HL-0058-G06HE	G06	PVBST4K1RJ9145	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMJA 182/B16.34, MODULAR DB(RTJ)B, BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3, S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A182-F51	2	WORLEY	FB
18	TZ-MID-65-WPR2-134003	0	PS2-25-2*-HL-0059-F06HE	F06	PVBST460RF67145	DBB VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMJA 182/B16.34, MODULAR DB(RF)B, BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3, S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A182-F51	2	WORLEY	FB
19	TZ-MID-65-WPR2-134000	0	PS2-25-2*-CD-0030-B06HE	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D, RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	LINE SIZE ON HOLD
20	TZ-MID-65-WPR2-134000	0	PS2-25-2*-CD-0030-B06HE	B06	PVCSTX15RF6742A	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A995-4A	1	WORLEY	LINE SIZE ON HOLD
21	TZ-MID-65-WPR2-134000	0	PS2-25-2*-HL-0006-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D, RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	LC
22	TZ-MID-65-WPR2-134000	0	PS2-25-2*-HL-0006-F03HE	F03	PVLC1B60RF8F1V7	GLOBE VALVE	2"	GLOBE VALVE , CL600 , RF , B16.5 , B16.10 DIMS , T-BODY , API623, OS&Y , BB , PLUG TYPE DISC , API TRIM 12 , FG PACKING , B7/2H , HWCS A105N	1	WORLEY	NC
23	TZ-MID-65-WPR2-134000	0	PS2-25-2*-HL-0005-F03HE	F03	PVBC1B60RFC9J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D, FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	LINE SIZE ON HOLD, LO, FB
24	TZ-MID-65-WPR2-134000	0	PS2-25-2*-HL-0005-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D, RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	LINE SIZE ON HOLD

25	TZ-MID-65-WPR2-134007	0	PS2-25-8"-RD-0004-B03HE	B03	PVBC2S15RFC6JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	LINE SIZE ON HOLD, LO, FB
26	TZ-MID-65-WPR2-134007	0	PS2-25-2"-HL-0042-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	LC
27	TZ-MID-65-WPR2-134007	0	PS2-25-2"-HL-0042-G03HE	G03	PVLC1BK1RJ8F1V7	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623 , OS&Y , BB , PLUG TYPE DISC , API TRIM 12 , FG PACKING , B7/2H , HWCS A105N	1	WORLEY	NC
28	TZ-MID-65-WPR2-134000	0	PS2-25-8"-RD-0003-B03HE	B03	PVBC2S15RFC6JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	LINE SIZE ON HOLD, LO, FB
29	TZ-MID-65-WPR2-134007	0	PS2-25-3"-HL-0041-G03HE	G03	PVBC1B90RJC9J1P	BALL VALVE	3"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	LINE SIZE ON HOLD, LO, FB
30	TZ-MID-65-WPR2-134007	0	PS2-25-3"-HL-0041-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	LINE SIZE ON HOLD
31	TZ-MID-65-WPR2-134000	0	PS2-25-VT-VP1100-N4	F06	PVBST460RFC3220	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	VESSEL TRIM LINE ON HOLD, NC
32	TZ-MID-65-WPR2-134000	0	PS2-25-VT-VP1100-N4	F06	PVCST460RF6742A	CHECK VALVE	2"	CHECK VALVE , CL600 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	VESSEL TRIM LINE ON HOLD
33	TZ-MID-65-WPR2-134007	0	PS2-25-VT-VP1200-N4	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	VESSEL TRIM LINE ON HOLD, NC
34	TZ-MID-65-WPR2-134007	0	PS2-25-VT-VP1200-N4	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	VESSEL TRIM LINE ON HOLD
35	TZ-MID-65-WPR2-134003	0	PS2-25-2"-OD-0007-B03	B03	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	NC
36	TZ-MID-65-WPR2-134006	0	PS2-25-24"-HL-0054-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	
37	TZ-MID-65-WPR2-134006	0	PS2-25-24"-HL-0054-G03HE	G03	PVBC4G90RJC3J1Q	BALL VALVE	24"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , GO ITCS A350-LF2 CL.1	2	WORLEY	CSO

38	TZ-MID-65-WPR2-134006	0	PS2-25-24"-HL-0054-G03HE	G03	PVBC1BK1RJ94IV	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RTJ)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	1	WORLEY	FB
39	TZ-MID-65-WPR2-134003	0	PS2-25-24"-HL-0081-F06HE	F06	PVBST460RF67145	DBB VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RF)B, BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3, S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A182-F51	1	WORLEY	FB
40	TZ-MID-65-WPR2-134000	0	PS2-25-24"-HL-0002-F03HE	F03	PVBC1B60RF674IV	DBB VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RF)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	2	WORLEY	FB
41	TZ-MID-65-WPR2-134000	0	PS2-25-2"-CD-0046-F06HE	F06	PVBST460RFC322O	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	NC
42	TZ-MID-65-WPR2-134003	0	PS2-25-16"-HL-0009-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	2	WORLEY	
43	TZ-MID-65-WPR2-134003	0	PS2-25-16"-HL-0009-G03HE	G03	PVBC4G90RJC3J1Q	BALL VALVE	16"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , GOITCS A350-LF2 CL.1	1	WORLEY	LO
44	TZ-MID-65-WPR2-134003	0	PS2-25-16"-HL-0009-G03HE	G03	PVCC4G90RJ6AL25	CHECK VALVE	16"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT, DBL FLG , API 594 , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGITCS A350-LF2 CL.1	1	WORLEY	
45	TZ-MID-65-WPR2-134003	0	PS2-25-16"-HL-0009-G03HE	G03	PVBC1BK1RJ94IV	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RTJ)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	1	WORLEY	FB
46	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0012-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
47	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0012-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
48	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0012-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
49	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0006-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
50	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0006-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	

51	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0006-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
52	TZ-MID-65-WPR2-134006	0	PS2-25-20"-HL-0030A-G06HE	G06	PVBC4G90RJC924C	BALL VALVE	20"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , FULL PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , 6mm CA , GO ITCS A350-LF2 CL.1	1	WORLEY	LINE NO. ON HOLD, CSC
53	TZ-MID-65-WPR2-135401	0	PS2-28-2"-HL-0003-B49HE	B49	PVBSDD15RFC4JDD	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B8M CL2/8M , FIRE TESTED , LO316 SS A351- CF8M	2	WORLEY	
54	TZ-MID-65-WPR2-135401	0	PS2-28-2"-HL-0003-B49HE	B49	PVCSDD15RF67L25	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
55	TZ-MID-65-WPR2-135401	0	PS2-28-2"-BI-0001-B50HE	B50	PVBSDD15RFC4JDD	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B8M CL2/8M , FIRE TESTED , LO316 SS A351- CF8M	2	WORLEY	
56	TZ-MID-65-WPR2-135401	0	PS2-28-2"-BI-0001-B50HE	B50	PVCSDD15RF67L25	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
57	TZ-MID-65-WPR2-135401	0	PS2-28-2"-HL-0004-B49HE	B49	PVBSDD15RFC4JDD	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B8M CL2/8M , FIRE TESTED , LO316 SS A351- CF8M	1	WORLEY	
58	TZ-MID-65-WPR2-135401	0	PS2-28-2"-HL-0004-B49HE	B49	PVCSDD15RF67L25	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
59	TZ-MID-65-WPR2-134006	0	PS2-25-24"-HL-0030-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	
60	TZ-MID-65-WPR2-134006	0	PS2-25-24"-HL-0030-G03HE	G03	PVBC4G90RJC3J1Q	BALL VALVE	24"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , GO ITCS A350-LF2 CL.1	2	WORLEY	CSO
61	TZ-MID-65-WPR2-134006	0	PS2-25-24"-HL-0030-G03HE	G03	PVBC1BK1RJ94IV	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RT)JB, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	1	WORLEY	FB
62	TZ-MID-65-WPR2-134003	0	PS2-25-2"-HL-0047-F06HE	F06	PVBST460RFC3220	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
63	TZ-MID-65-WPR2-134003	0	PS2-25-2"-HL-0047-F06HE	F06	PVCST460RF6742A	CHECK VALVE	2"	CHECK VALVE , CL600 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	

64	TZ-MID-65-WPR2-134003	0	PS2-25-2"-HL-0047-F06HE	F06	PVLST460RF8F430	GLOBE VALVE	2"	GLOBE VALVE , CL600 , RF , B16.5 , B16.10 DIMS , T-BODY , API623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
65	TZ-MID-65-WPR2-134006	0	PS2-25-2"-HL-0035-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
66	TZ-MID-65-WPR2-134006	0	PS2-25-2"-HL-0035-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
67	TZ-MID-65-WPR2-134006	0	PS2-25-2"-HL-0035-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
68	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CI-0001-G50	G50	PVBSE4K1RJC3J06	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B8M CL2/8M , FIRE TESTED , LO316/316L SS A182-F316/F316L	2	WORLEY	
69	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CI-0001-G50	G50	PVCSE4K1RJ67L25	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316/316L SS A182-F316/F316L	1	WORLEY	
70	TZ-MID-65-WPR2-134003	0	PS2-25-18"-HL-0008-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	
71	TZ-MID-65-WPR2-134003	0	PS2-25-18"-HL-0008-G03HE	G03	PVBC1BK1RJ94IV	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RTJ)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	4	WORLEY	FB
72	TZ-MID-65-WPR2-134003	0	PS2-25-12"-HL-0023-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
73	TZ-MID-65-WPR2-134003	0	PS2-25-12"-HL-0023-G06HE	G06	PVCC4G90RJ6A4HF	CHECK VALVE	12"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT, DBL FLG , API 594 , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 6mm CA , 2205 DUPLEX SS PIN, ALLOY X-750 SPRING, ITCS A350-LF2 CL.1	1	WORLEY	
74	TZ-MID-65-WPR2-134003	0	PS2-25-12"-HL-0010-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
75	TZ-MID-65-WPR2-134000	0	PS2-25-2"-HL-0045-F06HE	F06	PVBST460RFC322O	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	ILC
76	TZ-MID-65-WPR2-134000	0	PS2-25-2"-HL-0045-F06HE	F06	PVLST460RF8F430	GLOBE VALVE	2"	GLOBE VALVE , CL600 , RF , B16.5 , B16.10 DIMS , T-BODY , API623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	ILC

77	TZ-MID-65-WPR2-134007	0	PS2-25-2"-HL-0037-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	LC
78	TZ-MID-65-WPR2-134007	0	PS2-25-2"-HL-0037-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	LC
79	TZ-MID-65-WPR2-135403	NA	PS2-28-2"-NG-0006A-B01H	B01	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	CSO
80	TZ-MID-65-WPR2-135403	NA	PS2-28-2"-NG-0006A-B01H	B01	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	
81	TZ-MID-65-WPR2-134003	0	PS2-25-2"-HL-0060-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	2	WORLEY	1 CSO
82	TZ-MID-65-WPR2-134003	0	PS2-25-2"-HL-0060-F03HE	F03	PVCC1B60RF67L25	CHECK VALVE	2"	CHECK VALVE , CL600 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A105N	1	WORLEY	SCE
83	TZ-MID-65-WPR2-134003	0	PS2-25-2"-HL-0060-F03HE	F03	PVCC1B60RF8QL27	CHECK VALVE	2"	CHECK VALVE , CL600 , RF , B16.5 , B16.10 DIMS , SWING , API 594 , BC , API TRIM 12 , H OR V UP , B7/2HCS A105N	1	WORLEY	
84	TZ-MID-65-WPR2-134006	0	PS2-25-3"-HL-0075-G06HE	G06	PVCST490RJ6742A	CHECK VALVE	3"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRING DUPLEX SS A182-F51	1	WORLEY	
85	TZ-MID-65-WPR2-134006	0	PS2-25-3"-HL-0075-G06HE	G06	PVLST490RJ8F430	GLOBE VALVE	3"	GLOBE VALVE , CL900 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
86	TZ-MID-65-WPR2-134006	0	PS2-25-2"-HL-0076-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
87	TZ-MID-65-WPR2-134006	0	PS2-25-2"-HL-0076-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
88	TZ-MID-65-WPR2-134006	0	PS2-25-2"-HL-0076-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
89	TZ-MID-65-WPR2-134006	0	PS2-25-2"-CD-0051-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	

90	TZ-MID-65-WPR2-134006	0	PS2-25-2"-CD-0051-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
91	TZ-MID-65-WPR2-134006	0	PS2-25-2"-CD-0051-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
92	TZ-MID-65-WPR2-134006	0	PS2-25-2"-CD-0050-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
93	TZ-MID-65-WPR2-134006	0	PS2-25-2"-CD-0048-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
94	TZ-MID-65-WPR2-135500	0	PS2-53-2"-OD-0001-B91	B91	PVGSD15FF81L2B	GATE VALVE	2"	GATE VALVE , CL150 , FF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , STD PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	
95	TZ-MID-65-WPR2-135200	0	PS2-05-VT-UR8100-TUNDISH	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	HOLD_LINE SPEC AND NUMBER
96	TZ-MID-65-WPR2-135300	0	PS2-75-VT-UJ6200-TUNDISH	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	HOLD_LINE SPEC AND NUMBER
97	TZ-MID-65-WPR2-135200	0	PS2-05-2"-DO-0001-B01	B01	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	
98	TZ-MID-65-WPR2-135200	0	PS2-05-2"-DO-0001-B01	B01	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	
99	TZ-MID-65-WPR2-135300	0	PS2-75-2"-DR-0001-H50	H50	PVBSE4K1RJC3J06	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B8M CL2/8M , FIRE TESTED , LO316/316L SS A182-F316/F316L	3	WORLEY	LINE SIZE ON HOLD
100	TZ-MID-65-WPR2-135300	0	PS2-75-2"-DR-0001-H50	H50	PVCSE4K1RJ67L25	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316/316L SS A182-F316/F316L	1	WORLEY	LINE SIZE ON HOLD
101	TZ-MID-65-WPR2-135300	0	PS2-75-2"-DR-0001-H50	H50	PVCSE4K1RJ8QLB9	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , SWING , API 594 , BC , API TRIM 12 , H OR V UP , B8M CL2/8M316/316L SS A182-F316/F316L	1	WORLEY	LINE SIZE ON HOLD
102	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0055-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	

103	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0055-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
104	TZ-MID-65-WPR2-134003	0	PS2-25-2"-CD-0055-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
105	TZ-MID-65-WPR2-135401	0	PS2-28-VDC-1100-N7	B01	PVBC2S15RFC4JDL	BALL VALVE	4"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	HOLD_LINE SPEC AND NUMBER
106	TZ-MID-65-WPR2-135401	0	PS2-28-3"-HL-0001-B06HE	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	
107	TZ-MID-65-WPR2-135401	0	PS2-28-3"-HL-0001-B06HE	B06	PVBSTX15RFC422N	BALL VALVE	3"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	CSO
108	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0017-F06HE	F06	PVBST460RFC322O	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
109	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0017-F06HE	F06	PVBST460RFC322O	BALL VALVE	3"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	CSO
110	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0017-F06HE	F06	PVCST460RF6742A	CHECK VALVE	3"	CHECK VALVE , CL600 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
111	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0017-F06HE	F06	PVCST460RF8Q42J	CHECK VALVE	3"	CHECK VALVE , CL600 , RF , B16.5 , B16.10 DIMS , SWING , API 594 , BC , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , L7/4 (S3) GALVDUPLEX SS A182-F51	1	WORLEY	
112	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0017-F06HE	F06	PVBST460RF67145	DBB VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RF)B, BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3, S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A182-F51	2	WORLEY	FB
113	TZ-MID-65-WPR2-135401	0	PS2-28-2"-HL-0002-B06HE	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	
114	TZ-MID-65-WPR2-135400	0	PS2-28-6"-CD-0001-B06HE	B06	PVBC2S15RFC4249	BALL VALVE	6"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , 6mm CA , LOCS A216-WCB	1	WORLEY	LO
115	TZ-MID-65-WPR2-134000	0	PS2-25-2"-HL-0028-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	3	WORLEY	2 ILC

116	TZ-MID-65-WPR2-134000	0	PS2-25-2*-HL-0004-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	3	WORLEY	1 ILC, 1 NC
117	TZ-MID-65-WPR2-134000	0	PS2-25-2*-HL-0044-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	ILC
118	TZ-MID-65-WPR2-135400	0	PS2-28-2*-NG-0004-B03H	B03	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	NC
119	TZ-MID-65-WPR2-135400	0	PS2-28-2*-NG-0004-B03H	B03	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT , THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	
120	TZ-MID-65-WPR2-135400	0	PS2-28-2*-NG-0004-B03H	B03	PVLC2S15RF8F81K	GLOBE VALVE	2"	GLOBE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , T-BODY , API623, OS&Y , BB , PLUG TYPE DISC , API TRIM 8 , FG PACKING , B7/2H , HWA216 WCB	1	WORLEY	
121	TZ-MID-65-WPR2-134000	0	PS2-25-4*-CD-0001-F06HE	F06	PVBST460RFC3220	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
122	TZ-MID-65-WPR2-134000	0	PS2-25-4*-CD-0001-F06HE	F06	PVBST460RFC3220	BALL VALVE	4"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	1 ILC, 1 ILO
123	TZ-MID-65-WPR2-134000	0	PS2-25-4*-CD-0001-F06HE	F06	PVCST460RF6742A	CHECK VALVE	4"	CHECK VALVE , CL600 , RF , B16.5 , API 594 DIMS , DUAL PLT , THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
124	TZ-MID-65-WPR2-134000	0	PS2-25-4*-CD-0001-F06HE	F06	PVLST460RF8F430	GLOBE VALVE	4"	GLOBE VALVE , CL600 , RF , B16.5 , B16.10 DIMS , T-BODY , API623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	NC
125	TZ-MID-65-WPR2-134000	0	PS2-25-4*-CD-0047-F06HE	F06	PVBST460RFC3220	BALL VALVE	4"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	ILC
126	TZ-MID-65-WPR2-134000	0	PS2-25-2*-CD-0045-F06HE	F06	PVBST460RFC3220	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	NC
127	TZ-MID-65-WPR2-134007	0	PS2-25-2*-HL-0038-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	3	WORLEY	1 ILC, 1 NC
128	TZ-MID-65-WPR2-135401	0	PS2-28-VT-VDC1100-N2	B01	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	VESSEL TRIM LINE ON HOLD, NC

129	TZ-MID-65-WPR2-135401	0	PS2-28-VT-VDC1100-N2	B01	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	VESSEL TRIM LINE ON HOLD
130	TZ-MID-65-WPR2-135500	0	PS2-53-2"-UW-0002-B49	B49	PVBSDD15RFC4JDD	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D, RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B8M CL2/8M , FIRE TESTED , LO316 SS A351- CF8M	1	WORLEY	LINE SIZE ON HOLD
131	TZ-MID-65-WPR2-135501	0	PS2-53-3"-UW-0009-B49	B49	PVCSDD15RF67L25	CHECK VALVE	3"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
132	TZ-MID-65-WPR2-135501	0	PS2-53-3"-UW-0009-B49	B49	PVGSDD15RF81L2B	GATE VALVE	3"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	CSO, FB
133	TZ-MID-65-WPR2-135501	0	PS2-53-2"-UW-0011-B49	B49	PVCSDD15RF67L25	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
134	TZ-MID-65-WPR2-135501	0	PS2-53-2"-UW-0011-B49	B49	PVGSDD15RF81L2B	GATE VALVE	2"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	CSO, FB
135	TZ-MID-65-WPR2-135501	0	PS2-53-2"-UW-0012-B49	B49	PVCSDD15RF67L25	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
136	TZ-MID-65-WPR2-135501	0	PS2-53-2"-UW-0012-B49	B49	PVGSDD15RF81L2B	GATE VALVE	2"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	CSO, FB
137	TZ-MID-65-WPR2-135501	0	PS2-53-3"-UW-0013-B49	B49	PVBSE415RFQ4Y	SBB VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , API 6D, MODULAR SB(RF)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LO316/316L SS A182-F316/F316L	1	WORLEY	FB
138	TZ-MID-65-WPR2-135502	0	PS2-53-2"-UA-0001-D49	D49	PVCSDD30RF67L25	CHECK VALVE	2"	CHECK VALVE , CL300 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
139	TZ-MID-65-WPR2-135502	0	PS2-53-2"-UA-0001-D49	D49	PVGSDD30RF81L2B	GATE VALVE	2"	GATE VALVE , CL300 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	FB
140	TZ-MID-65-WPR2-135500	0	PS2-53-3"-UW-0001-B49	B49	PVGSDD15RF81L2B	GATE VALVE	3"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	FB
141	TZ-MID-65-WPR2-135500	0	PS2-50-2"-WW-0004-B95	B95	PVGSDD15FF81L2Y	GATE VALVE	2"	GATE VALVE , CL150 , FF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	LINE SIZE ON HOLD, FB

142	TZ-MID-65-WPR2-135500	0	PS2-50-3"-WW-0001-B95	B95	PVFSDD15FF6DJ1D	BUTTERFLY VALVE	2"	BUTTERFLY VALVE , CL150 , FF , B16.5 , API 609 CAT A DIMS , THRU DRILLED LUG , API 609 CAT. A , 316 SS DISC/STEM, PTFE ST , LO316 SS A351-CF8M	1	WORLEY	
143	TZ-MID-65-WPR2-135500	0	PS2-50-3"-WW-0001-B95	B95	PVCSDD15FF67L25	CHECK VALVE	2"	CHECK VALVE , CL150 , FF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
144	TZ-MID-65-WPR2-135500	0	PS2-50-3"-WW-0001-B95	B95	PVFSDD15FF6DJ1D	BUTTERFLY VALVE	3"	BUTTERFLY VALVE , CL150 , FF , B16.5 , API 609 CAT A DIMS , THRU DRILLED LUG , API 609 CAT. A , 316 SS DISC/STEM, PTFE ST , LO316 SS A351-CF8M	1	WORLEY	
145	TZ-MID-65-WPR2-135500	0	PS2-50-3"-WW-0001-B95	B95	PVGSDD15FF81L2Y	GATE VALVE	3"	GATE VALVE , CL150 , FF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	FB
146	TZ-MID-65-WPR2-135502	0	PS2-53-2"-DW-0002-B49	B49	PVGSDD15RF81L2B	GATE VALVE	2"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	LINE SIZE ON HOLD, CSO, FB
147	TZ-MID-65-WPR2-135502	0	PS2-53-2"-DW-0001-B49	B49	PVBSDD15RFC4JDD	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B8M CL2/8M , FIRE TESTED , LO316 SS A351- CF8M	1	WORLEY	LINE SIZE ON HOLD
148	TZ-MID-65-WPR2-135501	0	PS2-53-3"-UW-0005-B49	B49	PVGSDD15RF81L2B	GATE VALVE	3"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	LINE SIZE ON HOLD, NC, FB
149	TZ-MID-65-WPR2-135501	0	PS2-53-3"-UW-0010-B49	B49	PVCSDD15RF67L25	CHECK VALVE	3"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRING316 SS A351- CF8M	1	WORLEY	
150	TZ-MID-65-WPR2-135501	0	PS2-53-3"-UW-0010-B49	B49	PVGSDD15RF81L2B	GATE VALVE	3"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	CSO, FB
151	TZ-MID-65-WPR2-135501	0	PS2-53-3"-UW-0006-B49	B49	PVGSDD15RF81L2B	GATE VALVE	3"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	2	WORLEY	CSO, FB
152	TZ-MID-65-WPR2-135501	0	PS2-53-3"-UW-0007-B49	B49	PVGSDD15RF81L2B	GATE VALVE	3"	GATE VALVE , CL150 , RF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	CSO, FB
153	TZ-MID-65-WPR2-135501	0	PS2-53-4"-UW-0003-B95	B95	PVGSDD15FF81L2Y	GATE VALVE	4"	GATE VALVE , CL150 , FF , B16.5 , B16.10 DIMS , API 600, OS&Y , BB , FULL PORT , FLX WDG , API TRIM 12 , FG PACKING , B8M CL2/8M , HW316 SS A351-CF8M	1	WORLEY	FB
154	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0008-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L77 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	

155	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0008-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
156	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0008-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
157	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0032-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
158	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0032-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
159	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0032-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
160	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0056-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
161	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0056-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
162	TZ-MID-65-WPR2-134004	0	PS2-25-2"-CD-0056-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
163	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0033-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
164	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0033-G06HE	G06	PVCST4K1RJ6742A	CHECK VALVE	2"	CHECK VALVE , CL1500 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
165	TZ-MID-65-WPR2-134005	0	PS2-25-2"-CD-0033-G06HE	G06	PVLST4K1RJ8F430	GLOBE VALVE	2"	GLOBE VALVE , CL1500 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , HWDUPLEX SS A182- F51	1	WORLEY	
166	TZ-MID-65-WPR2-134004	0	PS2-25-18"-HL-0055-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	
167	TZ-MID-65-WPR2-134004	0	PS2-25-18"-HL-0055-G03HE	G03	PVBC1BK1RJ94IV	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RTJB), BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	4	WORLEY	FB

168	TZ-MID-65-WPR2-134004	0	PS2-25-18"-HL-0056-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	
169	TZ-MID-65-WPR2-134004	0	PS2-25-18"-HL-0056-G03HE	G03	PVBC1BK1RJ94IV	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RTJ)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	4	WORLEY	FB
170	TZ-MID-65-WPR2-134007	0	PS2-25-2"-HL-0040-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	1	WORLEY	ILC
171	TZ-MID-65-WPR2-135403	NA	PS2-28-2"-DO-0002-B01	B01	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	NC
172	TZ-MID-65-WPR2-135403	NA	PS2-28-2"-DO-0002-B01	B01	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	
173	TZ-MID-65-WPR2-134004	0	PS2-25-12"-HL-0013-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
174	TZ-MID-65-WPR2-134005	0	PS2-25-12"-HL-0033-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
175	TZ-MID-65-WPR2-134004	0	PS2-25-12"-HL-0029-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
176	TZ-MID-65-WPR2-134004	0	PS2-25-12"-HL-0029-G06HE	G06	PVCC4G90RJ6A4HF	CHECK VALVE	12"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT, DBL FLG , API 594 , 2205 DUPLEX SS TRIM W/HF ST , H OR V UP , 6mm CA , 2205 DUPLEX SS PIN, ALLOY X-750 SPRING, ITCS A350-LF2 CL.1	1	WORLEY	
177	TZ-MID-65-WPR2-134005	0	PS2-25-12"-HL-0034-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
178	TZ-MID-65-WPR2-134005	0	PS2-25-12"-HL-0034-G06HE	G06	PVCC4G90RJ6A4HF	CHECK VALVE	12"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT, DBL FLG , API 594 , 2205 DUPLEX SS TRIM W/HF ST , H OR V UP , 6mm CA , 2205 DUPLEX SS PIN, ALLOY X-750 SPRING, ITCS A350-LF2 CL.1	1	WORLEY	
179	TZ-MID-65-WPR2-134004	0	PS2-25-16"-HL-0012-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	2	WORLEY	
180	TZ-MID-65-WPR2-134004	0	PS2-25-16"-HL-0012-G03HE	G03	PVBC4G90RJC3J1Q	BALL VALVE	16"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , GOITCS A350-LF2 CL.1	1	WORLEY	

181	TZ-MID-65-WPR2-134004	0	PS2-25-16"-HL-0012-G03HE	G03	PVCC4G90RJ6AL25	CHECK VALVE	16"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT , DBL FLG , API 594 , API TRIM 12 , H OR V UP , 316 SS PIN , ALLOY X-750 SPRINGITCS A350-LF2 CL.1	1	WORLEY	
182	TZ-MID-65-WPR2-134004	0	PS2-25-16"-HL-0012-G03HE	G03	PVBC1BK1RJ94IV	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY , TRUNNION , EEMUA 182/B16.34 , MODULAR DB(RTJ)B , BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM , PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	1	WORLEY	FB
183	TZ-MID-65-WPR2-134005	0	PS2-25-16"-HL-0032-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY , TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM , PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	2	WORLEY	
184	TZ-MID-65-WPR2-134005	0	PS2-25-16"-HL-0032-G03HE	G03	PVBC4G90RJC3J1Q	BALL VALVE	16"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY , TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM , PEEK ST , FG GSK , FIRE TESTED , GOITCS A350-LF2 CL.1	1	WORLEY	
185	TZ-MID-65-WPR2-134005	0	PS2-25-16"-HL-0032-G03HE	G03	PVCC4G90RJ6AL25	CHECK VALVE	16"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT , DBL FLG , API 594 , API TRIM 12 , H OR V UP , 316 SS PIN , ALLOY X-750 SPRINGITCS A350-LF2 CL.1	1	WORLEY	
186	TZ-MID-65-WPR2-134005	0	PS2-25-16"-HL-0032-G03HE	G03	PVBC1BK1RJ94IV	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY , TRUNNION , EEMUA 182/B16.34 , MODULAR DB(RTJ)B , BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM , PEEK ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LOCS A105N	1	WORLEY	FB
187	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0016-F06HE	F06	PVBST460RFC3220	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY , TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM , PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	
188	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0016-F06HE	F06	PVBST460RFC3220	BALL VALVE	3"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY , TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM , PEEK ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
189	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0016-F06HE	F06	PVCST460RF6742A	CHECK VALVE	3"	CHECK VALVE , CL600 , RF , B16.5 , API 594 DIMS , DUAL PLT , THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN , ALLOY X-750 SPRINGDUPLEX SS A182-F51	1	WORLEY	
190	TZ-MID-65-WPR2-134008	0	PS2-28-3"-HL-0016-F06HE	F06	PVBST460RF67145	DBB VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , MFR DIMS , SPLIT BODY , TRUNNION , EEMUA 182/B16.34 , MODULAR DB(RF)B , BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM , PEEK ST , FG GSK , L7/7 (S3 , S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A182-F51	1	WORLEY	FB
191	TZ-MID-65-WPR2-134008	0	PS2-25-2"-OD-0008-B03	B03	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY , FLOATING , API 6D , RED PORT , 316 SS BALL/STEM , RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	NC
192	TZ-MID-65-WPR2-134005	0	PS2-25-2"-OD-0009-B03	B03	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY , FLOATING , API 6D , RED PORT , 316 SS BALL/STEM , RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	NC
193	TZ-MID-65-WPR2-134000	0	PS2-25-VT-VP1100-K1	F06	PVBST460RF67145	DBB VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , MFR DIMS , SPLIT BODY , TRUNNION , EEMUA 182/B16.34 , MODULAR DB(RF)B , BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM , PEEK ST , FG GSK , L7/7 (S3 , S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A182-F51	1	WORLEY	VESSEL TRIM LINE ON HOLD, FB

194	TZ-MID-65-WPR2-134007	0	PS2-25-VT-VP1200-K1	G06	PVBST4K1RJ9145	DBB VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , EEMUA 182/B16.34, MODULAR DB(RTJ)B, BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L777 (S3, S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A182-F51	1	WORLEY	VESSEL TRIM LINE ON HOLD, FB
195	TZ-MID-65-WPR2-134003	0	PS2-25-2*-HL-0061-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	2	WORLEY	1 CSO
196	TZ-MID-65-WPR2-134003	0	PS2-25-2*-HL-0061-F03HE	F03	PVCC1B60RF67L25	CHECK VALVE	2"	CHECK VALVE , CL600 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A105N	1	WORLEY	SCE
197	TZ-MID-65-WPR2-134003	0	PS2-25-2*-HL-0061-F03HE	F03	PVCC1B60RF8QL27	CHECK VALVE	2"	CHECK VALVE , CL600 , RF , B16.5 , B16.10 DIMS , SWING , API 594 , BC , API TRIM 12 , H OR V UP , B7/2HCS A105N	1	WORLEY	
198	TZ-MID-65-WPR2-134003	0	PS2-25-2*-HL-0062-F03HE	F03	PVBC1B60RFC3J1P	BALL VALVE	2"	BALL VALVE , CL600 , RF , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	2	WORLEY	1 CSO
199	TZ-MID-65-WPR2-134003	0	PS2-25-2*-HL-0062-F03HE	F03	PVCC1B60RF67L25	CHECK VALVE	2"	CHECK VALVE , CL600 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 12 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A105N	1	WORLEY	SCE
200	TZ-MID-65-WPR2-134003	0	PS2-25-2*-HL-0062-F03HE	F03	PVCC1B60RF8QL27	CHECK VALVE	2"	CHECK VALVE , CL600 , RF , B16.5 , B16.10 DIMS , SWING , API 594 , BC , API TRIM 12 , H OR V UP , B7/2HCS A105N	1	WORLEY	
201	TZ-MID-65-WPR2-135403	NA	PS2-28-2*-NG-0007-B01	B01	PVBC2S15RFC6JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	LINE SIZE ON HOLD, LO, FB
202	TZ-MID-65-WPR2-135404	NA	PS2-28-2*-NG-0008A-B01H	B01	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	CSO
203	TZ-MID-65-WPR2-135404	NA	PS2-28-2*-NG-0008A-B01H	B01	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	
204	TZ-MID-65-WPR2-135405	NA	PS2-28-2*-NG-0010A-B01H	B01	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	CSO
205	TZ-MID-65-WPR2-135405	NA	PS2-28-2*-NG-0010A-B01H	B01	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	

206	TZ-MID-65-WPR2-135404	NA	PS2-28-2"-DO-0003-B01	B01	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	NC
207	TZ-MID-65-WPR2-135404	NA	PS2-28-2"-DO-0003-B01	B01	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	
208	TZ-MID-65-WPR2-135405	NA	PS2-28-2"-DO-0004-B01	B01	PVBC2S15RFC4JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	NC
209	TZ-MID-65-WPR2-135405	NA	PS2-28-2"-DO-0004-B01	B01	PVCC2S15RF67823	CHECK VALVE	2"	CHECK VALVE , CL150 , RF , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , API TRIM 8 , H OR V UP , 316 SS PIN, ALLOY X-750 SPRINGCS A216-WCB	1	WORLEY	
210	TZ-MID-65-WPR2-135404	NA	PS2-28-2"-NG-0009-B01	B01	PVBC2S15RFC6JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	LINE SIZE ON HOLD, LO, FB
211	TZ-MID-65-WPR2-135405	NA	PS2-28-2"-NG-0011-B01	B01	PVBC2S15RFC6JDL	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H , FIRE TESTED , LOCS A216-WCB	1	WORLEY	LINE SIZE ON HOLD, LO, FB
212	TZ-MID-65-WPR2-134007	0	PS2-25-2"-HL-0039-G03HE	G03	PVBC1BK1RJC3J1P	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 316 SS BALL/STEM, PEEK ST , FG GSK , FIRE TESTED , LOCS A105N	3	WORLEY	1 ILC, 1 NC
213	TZ-MID-65-WPR2-134007	0	PS2-25-4"-CD-0040-G06HE	G06	PVBST490RJC324D	BALL VALVE	4"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	ILC
214	TZ-MID-65-WPR2-134007	0	PS2-25-4"-CD-0039-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	
215	TZ-MID-65-WPR2-134007	0	PS2-25-4"-CD-0039-G06HE	G06	PVBST490RJC324D	BALL VALVE	4"	BALL VALVE , CL900 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	2	WORLEY	1 ILC, 1 ILO
216	TZ-MID-65-WPR2-134007	0	PS2-25-4"-CD-0039-G06HE	G06	PVCST490RJ6742A	CHECK VALVE	4"	CHECK VALVE , CL900 , RJ , B16.5 , API 594 DIMS , DUAL PLT, THRU DRILLED LUG , API 594 (RETAINERLESS) , 2205 DUPLEX SS TRIM W/ HF ST , H OR V UP , 2205 DUPLEX SS PIN, ALLOY X-750 SPRING DUPLEX SS A182-F51	1	WORLEY	
217	TZ-MID-65-WPR2-134007	0	PS2-25-4"-CD-0039-G06HE	G06	PVLST490RJ8F431	GLOBE VALVE	4"	GLOBE VALVE , CL900 , RJ , B16.5 , B16.10 DIMS , T-BODY , API 623, OS&Y , BB , PLUG TYPE DISC , 2205 DUPLEX SS TRIM W/ HF ST , FG PACKING , L7/4 (S3) GALV , GO DUPLEX SS A182 F51	1	WORLEY	NC
218	TZ-MID-65-WPR2-134007	0	PS2-25-2"-CD-0044-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	NC

219	TZ-MID-65-WPR2-134007	0	PS2-25-2"-CD-0043-G06HE	G06	PVBST4K1RJC324D	BALL VALVE	2"	BALL VALVE , CL1500 , RJ , B16.5 , B16.10 LONG , SPLIT BODY, TRUNNION , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, PEEK ST , FG GSK , L7/7 (S3) GALV , FIRE TESTED , LODUPLEX SS A182-F51	1	WORLEY	NC
220	TZ-MID-65-WPR2-135401	0	PS2-28-3"-HL-0001-B06HE	B06	PVBSTX15RFRQ148	SBB VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , API 6D, MODULAR SB(RF)B, BI-DIRECTIONAL , FULL PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/7 (S3, S4 & S5) GALV , FIRE TESTED , 1" BLEED , LODUPLEX SS A995-4A	1	WORLEY	FB
221	TZ-MID-65-WPR2-135502	0	PS2-53-2"-DW-0002-B49	B49	PVBSE415RFRQ4Y	SBB VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , API 6D, MODULAR SB(RF)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LO316/316L SS A182-F316/F316L	1	WORLEY	LINE SIZE ON HOLD, FB
222	TZ-MID-65-WPR2-135501	0	PS2-53-VT-TR4100-K2	B49	PVBSE415RFRQ4Y	SBB VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , API 6D, MODULAR SB(RF)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LO316/316L SS A182-F316/F316L	1	WORLEY	VESSEL TRIM LINE ON HOLD, NO, FB
223	TZ-MID-65-WPR2-135501	0	PS2-53-VT-TR4100-K1	B49	PVBSE415RFRQ4Y	SBB VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , MFR DIMS , SPLIT BODY, TRUNNION , API 6D, MODULAR SB(RF)B, BI-DIRECTIONAL , FULL PORT , 316 SS BALL/STEM, RTFE ST , FG GSK , B7/2H (S5) , FIRE TESTED , 1" BLEED , LO316/316L SS A182-F316/F316L	1	WORLEY	VESSEL TRIM LINE ON HOLD, NO, FB
224	TZ-MID-65-WPR2-134008	0	PS2-28-VT-PR3900-TUNDISH	B06	PVBSTX15RFC422N	BALL VALVE	2"	BALL VALVE , CL150 , RF , B16.5 , B16.10 LONG , SPLIT BODY, FLOATING , API 6D , RED PORT , 2205 DUPLEX SS BALL/STEM, RTFE ST , FG GSK , L7/4 (S3) GALV , FIRE TESTED , LODUPLEX SS A995-4A	1	WORLEY	HOLD_LINE SPEC AND NUMBER